

**KNAPHEIDE**  
SINCE 1848

// GM

# STEEL SERVICE BODIES



# STEEL SERVICE BODIES

With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity.

The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed.

Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.



## STANDARD SHELVING


All Knapheide Service Bodies come with the following standard shelving units:

- Two adjustable divider shelves and dividers, in the street and curb side front vertical compartments (1st and 2nd vertical 132" bodies only)
- One adjustable divider shelf and dividers in the street and curb side full height rear vertical compartments
- One adjustable divider shelf and dividers in the curb side horizontal compartment

## REQUEST A QUOTE

Visit [knapheide.com/quote](https://knapheide.com/quote) and fill out the form to receive a quote and additional product information.


# STANDARD FEATURES



**A** Features 14-gauge, two-sided A-40 galvanized steel shell



**H** Features double-shell, 20-gauge, two-sided A-40 galvanized steel compartment doors



**B** Exclusive "Return Flange" floor design provides support




**I** Automotive-quality, rotary-style latches make opening and closing easy




**C** Interior light guards protect recessed lighting and wiring



**J** Interior cover protects internal latch from damage



**D** Continuous stainless steel hinges are pry-proof and corrosion-resistant



**K** Neoprene door seals protect compartments from the weather




**E** Adjustable security ring strikers provide a weather-tight seal



**L** Quick-mount installation allows for fast, safe mounting



**F** Includes 250-lb. capacity adjustable divider shelves



**M** Includes slam-lock tailgate with one-hand center release



**G** Double-spring over-center door retainer eliminates involuntary door swing



**N** Upgraded surface mount lighting system features LED S/T/T and B/U, LED strobe option\* with (8) selectable patterns, and built-in reflectivity for additional safety\*\*

\*Additional wire harness required for strobe lights  
\*\*Lights covered by 3-year limited warranty

## // E-COAT PROTECTION:

Electrodeposition prime-paint system provides superior corrosion resistance

# COMPARTMENT CONFIGURATIONS



## // 500 SERIES COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.



## // 600 SERIES COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.

## // 700 SERIES COMPARTMENTS

The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



## // LOW PROFILE BODY

Low Profile Bodies, denoted by “LP”, offer greater visibility from the cab while only sacrificing 4” of the body height compared to a standard Service Body.



## // RAISED FRONT COMPARTMENTS

Raised front vertical compartment configuration raises the curb side front vertical compartment to 60” tall.



## // **FLIP TOP COMPARTMENTS**


Flip Tops, denoted by “F”, allow for greater internal storage, organization and flexibility. Knapheide Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.



## // **PLUS 50 COMPARTMENTS**

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment back. Plus 50 models have 50% more effective storage capacity.

Depending on body model, compartments have either two or three drawers, 59” or 69” long. All drawers are rated for 250-lb. and have dividers every 4”.



**THREE-DRAWER UNIT**



**TWO-DRAWER UNIT**



# POPULAR OPTIONS

## // BUMPERS

Knapheide bumpers are constructed with work in mind. With three configurations, we have a bumper for every need. Select bumpers available with KnapLiner coating for additional friction and durability.



**STEP BUMPERS**




**HITCH RECESS BUMPERS**




**STRAIGHT BUMPERS**

## // CANOPY ROOF

The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. For a tapered-side one-piece body design, take a look at our KUVcc product line.



**STRAIGHT SIDES**



**TELESCOPIC ROOF**



**SIDE LADDER RACKS**



**SIDE ACCESS DOORS**




**REAR ACCESS DOOR**



## // TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.



## // CRANE REINFORCEMENT KIT


The crane reinforcement kit option allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft-lb. max.) onto the rear curb side corner of your body.

## // RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.



**KNAPHEIDE  
UTILITY RACK**



**OVERCAB  
MATERIAL RACK  
(KARGO MASTER)**



**SIDE MOUNT  
LADDER RACK**



**OVERHEAD  
LADDER RACK**

NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

• **LADDER  
RACK ROLLERS**

• **LADDER  
RACK RAILS**

// SECURITY



MASTER LOCKS



POWER LOCKS

// LIGHTING



FRONT STROBE



LED COMPARTMENT  
LIGHTS

// SAFETY



GRAB HANDLES



CABLE STEPS

// STORAGE/ORGANIZATION



ALUMINUM  
DRAWERS



STEEL  
DRAWERS



FLEX STEPS



WHEEL CHOCK  
HOLDER -  
FENDER SKIRT




SORTIMO COMPARTMENT  
STORAGE/MOBILITY

// EXTERIOR OPTIONS



ROCK GUARDS



ALUMINUM TREAD  
PLATE TRIM KITS

// SHELVES



PULL-OUT  
SHELVES



PULL-OUT TRAY



MODULAR CAB  
GUARD



MOUNTING KITS FOR  
REMOVABLE CRANE  
(SPITZLIFT)



METER TRAY  
WITH HOLES




## // DOOR OPTIONS



**SINGLE POINT  
OR THREE POINT  
T-HANDLE**



**REAR ACCESS  
DOOR**



**REAR ACCESS  
DOOR WITH FULL-  
LENGTH SHELF**

## // CARGO AREA



**E-TRACK &  
ACCESSORIES**



**BOTTLE GAS  
RETAINER**



**CARGO  
TIE-DOWNS**

## // SERVICE BODY PACKAGES

Need your work truck fast? These preconfigured packages are built for quicker delivery to you. Ask your Knapheide rep for more information.

### 1848 PACKAGE

- Painted white
- Lights installed and wired
- Power locks installed
- LED compartment lights installed
- Sortimo BOXX package in left horizontal compartment
- Aluminum tread plate rock guards and tailgate trim installed

### PIONEER PACKAGE

- Painted white
- Lights installed and wired
- Masterlocks installed
- Aluminum tread plate rock guards installed
- Aluminum tread plate trim kit installed: includes tops of compartments and tailgate



## COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products.

To give you the best corrosion protection on our steel bodies, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."



It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

# SPECIFICATIONS

## // 42" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
682	Standard	40"	924 lb.
682LP	Low Profile	36"	876 lb.
682F	Flip Top (L)	37.25"	990 lb.
682F40	Flip Top (H)	41.25"	1,040 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K20753	Double Cab	149.9"	10,250/11,200 lb.
C/K20743	Crew	158.9"	10,350/11,250 lb.
C/K30743	Crew	158.9"	11,000/12,100 lb.






"F" models only

## // 56" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
696	Standard	40"	1,048 lb.
696LP	Low Profile	36"	993 lb.
696F	Flip Top (L)	37.25"	1,125 lb.
696F40	Flip Top (H)	41.25"	1,181 lb.
696D38*	Standard	40"	1,064 lb.
696D38LP*	Low Profile	36"	1,005 lb.
696D38F*	Flip Top	37.25"	1,142 lb.

\*D38 models denote 38" wide floor and 20" deep compartments

TRUCK	CAB	WHEELBASE	GVWR
C/K20903	Regular	141.5"	9,900/11,100 lb.
C/K20953	Double Cab	162.5"	9,900/11,450 lb.
C/K20943	Crew	172"	9,900/11,550 lb.
C/K30903	Regular	141.5"	10,750/11,800 lb.
C/K30953	Double Cab	162.5"	11,100/12,150 lb.
C/K30943	Crew	172"	11,150/12,250 lb.





"F" models only

## // 56" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
696D54	Standard	40"	1,205 lb.
696D54LP	Low Profile	36"	1,146 lb.
696D54F	Flip Top (L)	37.25"	1,279 lb.
696D54F40	Flip Top (H)	41.25"	1,339 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K30903	Regular	141.5"	14,000 lb.
C/K30953	Double Cab	162.5"	14,000 lb.
C/K30943	Crew	172"	14,000 lb.




"F" models only

## // 60" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
6108D	Standard	40"	1,273 lb.
6108D54*	Standard	40"	1,306 lb.
6108DF	Flip Top (L)	37.25"	1,363 lb.
6108D54F*	Flip Top (L)	37.25"	1,391 lb.
6108DF40	Flip Top (H)	41.25"	1,417 lb.
6108D54F40*	Flip Top (H)	41.25"	1,452 lb.
6108D54H46	Standard	46"	1,411 lb.
6108D54H60	Standard	60"	1,647 lb.
6108D54LP	Low Profile	36"	1,245 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K31003	Regular	146.3"	14,000 lb.
C/K31043	Crew	176.8"	14,000 lb.
C/K56403	Regular	141"	15,000/23,500 lb.
C/K56043	Crew	175"	15,000/23,500 lb.




"F" models only

## // 84" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
6132D	Standard	40"	1,552 lb.
6132D54*	Standard	40"	1,590 lb.
6132DF	Flip Top (L)	37.25"	1,671 lb.
6132D54F*	Flip Top (L)	37.25"	1,710 lb.
6132DF40	Flip Top (H)	41.25"	1,744 lb.
6132D54F40*	Flip Top (h)	41.25"	1,785 lb.
6132D54H46	Standard	46"	1,709 lb.
6132D54H60	Standard	60"	1,790 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K31403	Regular	170.8"	14,000 lb.
C/K56403	Regular	165"	15,000/23,500 lb.
C/K56043	Crew	199"	15,000/23,500 lb.



"F" models only

## // 108" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
6157D54*	Standard	40"	1,920 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K56403	Regular	189"	15,000/23,500 lb.

\*GM Medium Duty compatible (not applicable with air bag rear suspension)



# NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

**Knapheide. Never settle.**

## SIX-YEAR, LIMITED WARRANTY

STEEL SERVICE BODIES



NO RUST  
THROUGH



DOOR HINGES WILL  
NOT FAIL OR COME  
OFF BODY



LATCHES AND LOCK  
CYLINDERS WILL NOT  
FAIL TO OPERATE



SHELVES WILL NOT  
BEND UNDER MAX.  
LOAD OF 250 LBS.

Visit [www.knapheide.com/warranty](http://www.knapheide.com/warranty) for more information.



The Knapheide Manufacturing Company  
1848 Westphalia Strasse | Quincy, IL 62305

217-222-7131  
[www.knapheide.com](http://www.knapheide.com)

**KNAPHEIDE**  
SINCE 1848