


KNAPHEIDE
SINCE 1848

// FORD

STEEL SERVICE BODIES



STEEL SERVICE BODIES

With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity.

The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed.

Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.



STANDARD SHELVING


All Knapheide Service Bodies come with the following standard shelving units:

- Two adjustable divider shelves and dividers, in the street and curb side front vertical compartments (1st and 2nd vertical 132" bodies only)
- One adjustable divider shelf and dividers in the street and curb side full height rear vertical compartments
- One adjustable divider shelf and dividers in the curb side horizontal compartment

REQUEST A QUOTE

Visit knapheide.com/quote and fill out the form to receive a quote and additional product information.


STANDARD FEATURES



A Features 14-gauge, two-sided A-40 galvanized steel shell



H Features double-shell, 20-gauge, two-sided A-40 galvanized steel compartment doors



B Exclusive "Return Flange" floor design provides support




I Automotive-quality, rotary-style latches make opening and closing easy




C Interior light guards protect recessed lighting and wiring



J Interior cover protects internal latch from damage



D Continuous stainless steel hinges are pry-proof and corrosion-resistant



K Neoprene door seals protect compartments from the weather



E Adjustable security ring strikers provide a weather-tight seal



L Quick-mount installation allows for fast, safe mounting



F Includes 250-lb. capacity adjustable divider shelves



M Includes slam-lock tailgate with one-hand center release



G Double-spring over-center door retainer eliminates involuntary door swing



N Upgraded surface mount lighting system features LED S/T/T and B/U, LED strobe option* with (8) selectable patterns, and built-in reflectivity for additional safety**

*Additional wire harness required for strobe lights

**Covered under 3-year limited warranty

// E-COAT PROTECTION:

Electrodeposition prime-paint system provides superior corrosion resistance

COMPARTMENT CONFIGURATIONS



// 500 SERIES COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.



// 600 SERIES COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.

// 700 SERIES COMPARTMENTS

The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



// LOW PROFILE BODY

Low Profile Bodies, denoted by “LP”, offer greater visibility from the cab while only sacrificing 4” of the body height compared to a standard Service Body.



// RAISED FRONT COMPARTMENTS

Raised front vertical compartment configuration raises the curb side front vertical compartment to 60” tall.

Denote by “60”, “60-L” or “60-B” indicating raised front compartments on both sides.



// **FLIP TOP** **COMPARTMENTS**


Flip Tops, denoted by “F”, allow for greater internal storage, organization and flexibility. Knapheide Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.



// **PLUS 50** **COMPARTMENTS**

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment back. Plus 50 models have 50% more effective storage capacity.

Depending on body model, compartments have either two or three drawers, 59” or 69” long. All drawers are rated for 250-lb. and have dividers every 4”.



THREE-DRAWER UNIT



TWO-DRAWER UNIT

POPULAR OPTIONS

// BUMPERS

Knapheide bumpers are constructed with work in mind. With three configurations, we have a bumper for every need. Select bumpers available with KnapLiner coating for additional grip and durability.



STEP BUMPERS




HITCH RECESS BUMPERS




STRAIGHT BUMPERS

// CANOPY ROOF

The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. For a tapered-side one-piece body design, take a look at our KUVcc product line.



STRAIGHT SIDES



TELESCOPIC ROOF



SIDE LADDER RACKS



SIDE ACCESS DOORS



REAR ACCESS DOOR

// RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.



OVERCAB MATERIAL RACK
(KARGO MASTER)



SIDE MOUNT LADDER RACK



OVERHEAD LADDER RACK



KNAPHEIDE UTILITY RACK

NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

• LADDER RACK ROLLERS

• LADDER RACK RAILS

// TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.



// CRANE REINFORCEMENT KIT

The crane reinforcement kit option allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft-lb. max.) onto the rear curb side corner of your body.



// SERVICE BODY PACKAGES

Need your work truck fast? These preconfigured packages are built for quicker delivery to you. Ask your Knapheide rep for more information.

1848 PACKAGE

- Painted white
- Lights installed and wired
- Power locks installed
- LED compartment lights installed
- Sortimo BOXX package in left horizontal compartment
- Aluminum tread plate rock guards and tailgate trim installed

PIONEER PACKAGE

- Painted white
- Lights installed and wired
- Masterlocks installed
- Aluminum tread plate rock guards installed
- Aluminum tread plate trim kit installed: includes tops of compartments and tailgate



COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products.

To give you the best corrosion protection on our steel bodies, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

POPULAR OPTIONS



MASTER LOCKS



POWER LOCKS



FRONT STROBE



**LED
COMPARTMENT
LIGHTS**



GRAB HANDLES



**E-TRACK &
ACCESSORIES**




**ALUMINUM
DRAWERS**



STEEL DRAWERS



FLEX STEPS



**WHEEL CHOCK
HOLDER -
FENDER SKIRT**



**SORTIMO
COMPARTMENT
STORAGE/MOBILITY**



ROCK GUARDS



**ALUMINUM TREAD
PLATE TRIM KITS**



**MODULAR CAB
GUARD**



PULL-OUT TRAY



**PULL-OUT
SHELVES**



**REAR ACCESS
DOOR WITH OR
WITHOUT FULL-
LENGTH SHELF**



**SINGLE POINT
OR THREE POINT
T-HANDLE**



**BOTTLE GAS
RETAINER**






**CARGO
TIE-DOWNS**

// 40" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
680	Standard	40"	780 lb.
680LP	Low Profile	36"	827 lb.
680F	Flip Top (L)	37.25"	942 lb.
680F40	Flip Top (H)	41.25"	989 lb.

TRUCK	CAB	GVWR
X2A/X2B	Super	9,900/10,800 lb.
W2A/W2B	Crew	9,900/10,800 lb.
X3A/X3B	Super	10,000/11,800 lb.
W3A/W3B	Crew	10,000/12,400 lb.





"F" models only

// 56" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
696	Standard	40"	1,048 lb.
696LP	Low Profile	36"	993 lb.
696F	Flip Top (L)	37.25"	1,125 lb.
696F40	Flip Top (H)	41.25"	1,181 lb.
696D38*	Standard	40"	1,064 lb.
696D38LP*	Low Profile	36"	1,005 lb.
696D38F*	Flip Top (L)	37.25"	1,142 lb.

*D38 models denote 38" wide floor and 20" deep compartments.
 Note: Chassis with GVWR 10,000 lb. and under subject to curb weight limits.
 Not all engine/drive and body combinations are applicable.

TRUCK	CAB	GVWR
F2A/F2B	Regular, Regular Gas	9,900/10,000 lb.
X2A/X2B	Super	9,900/10,000 lb.
W2A/W2B	Crew	9,900/10,000 lb.
F3A/F3B	Regular/Regular Gas	9,900/10,000 lb.
X3A/X3B	Super	9,900/10,000 lb.
W3A/W3B	Crew	9,900/10,000 lb.
F2A/F2B/F3A/F3B	Regular, Diesel	10,000/11,500 lb.
X2A/X2B/X3A/X3B	Super, Diesel	10,000/11,500 lb.
W2A/W2B/W3A/W3B	Crew, Diesel	10,000/11,500 lb.






"F" models only

// 56" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
696D54	Standard	40"	1,205 lb.
696D54LP	Low Profile	36"	1,146 lb.
696D54F	Flip Top (L)	37.25"	1,279 lb.
696D54F40	Flip Top (H)	41.25"	1,339 lb.

TRUCK	CAB	GVWR
F3C/F3D	Regular	13,000/14,000 lb.
X3C/X3D	Super	13,000/14,000 lb.
W3C/W3D	Crew	13,000/14,000 lb.



"F" models only

// 60" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
6108	Standard	40"	1,147 lb.
6108LP	Low Profile	36"	1,094 lb.
6108F	Flip Top (L)	37.25"	1,239 lb.
6108F40	Flip Top (H)	41.25"	1,295 lb.

Note: Chassis with GVWR 10,000 lb. and under subject to curb weight limits.
Not all engine/drive and body combinations are applicable.

TRUCK	CAB	GVWR
F3E	Regular	9,800/11,500 lb.
F3F	Regular, Gas	9,800/10,000 lb.
F3F	Regular	10,500/11,500 lb.
X3E	Super	9,800/11,500 lb.
X3F	Super, Gas	9,800/11,500 lb.
X3F	Super, Diesel	10,500/11,500 lb.
W3E	Crew	9,800/11,500 lb.
X3F	Crew, Gas	9,800/10,000 lb.
X3F	Crew, Diesel	10,500/11,500 lb.



"F" models only

// 60" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
6108D54	Standard	40"	1,306 lb.
6108D54LP	Low Profile	36"	1,245 lb.
6108D54F	Flip Top (L)	37.25"	1,391 lb.
6108D54F40	Flip Top (H)	41.25"	1,452 lb.
6108D54H46	Standard	46"	1,411 lb.
6108D54H60	Standard	60"	1,647 lb.

TRUCK	CAB	GVWR
F3G/F3H	Regular	14,000 lb.
X3G/X3H	Super	14,000 lb.
W3G/W3H	Crew	14,000 lb.
F4G/F4H	Regular	15,000/16,500 lb.
X4G/X4H	Super	15,000/16,500 lb.
W4G/W4H	Crew	15,000/16,500 lb.
F5G/X5H	Regular	17,500/19,500 lb.
X5G/X5H	Super	17,500/19,500 lb.
W5G/W5H	Crew	17,500/19,500 lb.





"F" models only

// 82" CA SINGLE REAR WHEEL - FORD TRANSIT

MODEL	TYPE	HEIGHT	WEIGHT
6129-FT	Standard	43"	1,503 lb.




TRUCK	CAB	GVWR
R5Z	Regular	9,000 lb.
W5Z	Regular	9,500 lb.



// 84" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
6132D54	Standard	40"	1,590 lb.
6132D54LP	Low Profile	36"	1,518 lb.
6132D54F	Flip Top (L)	37.25"	1,710 lb.
6132D54F40	Flip Top (H)	41.25"	1,785 lb.
6132D54H46	Standard	46"	1,709 lb.
6132D54H60	Standard	60"	1,986 lb.

TRUCK	CAB	GVWR
F3G/F3H	Regular	14,000 lb.
F4G/F4H	Regular	15,000/16,500 lb.
X4G/X4H	Super	15,000/16,500 lb.
W4G/W4H	Crew	15,000/16,500 lb.
F5G/F5H	Regular	17,500/19,500 lb.
X5G/X5H	Super	17,500/19,500 lb.
W5G/W5H	Crew	17,500/19,500 lb.



"F" models only

NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

Knapheide. Never settle.

SIX-YEAR, LIMITED WARRANTY

STEEL SERVICE BODIES



NO RUST
THROUGH



DOOR HINGES WILL
NOT FAIL OR COME
OFF BODY



LATCHES AND LOCK
CYLINDERS WILL NOT
FAIL TO OPERATE



SHELVES WILL NOT
BEND UNDER MAX.
LOAD OF 250 LBS.

Visit www.knapheide.com/warranty for more information.



The Knapheide Manufacturing Company
1848 Westphalia Strasse | Quincy, IL 62305

217-222-7131
www.knapheide.com

KNAPHEIDE
SINCE 1848