



TRUCK BOXES



NOTHING WORKS LIKE A DOGG™

Our History



1946
Buyers Products Company founded by Sam Ruven and Bessie Kleinman as a distributor of driveline components.

Tracom

1992
Buyers acquired Trailer Components Manufacturing (Tracom) for CNC precision machining and tooling, as well as state-of-the-art welding.

Buyers
PRODUCTS COMPANY

2002
Buyers moved its corporate headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution center.

SnowDogg
Buyers

2007
Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.

Buyers
PRODUCTS COMPANY

2013
Buyers acquired an additional 500,000 sq. ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing.

SaltDogg
Buyers

**ALL YOUR WORK
TRUCK PRODUCTS
ALL THE TIME.**

2017
Buyers launches new website with business partner portal, to make online ordering and account maintenance easy for customers.

Buyers

Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for products led to the pursuit of supply chain manufacturing solutions.

PROGRESSIVE
POWDER COATING, INC.

1995
Buyers acquired Progressive Powder Coating. Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer accessories.

Romotech
Rotational Molding Technologies, Inc.

2004
Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our poly salt spreaders.

Boomerang
RUBBER, INC.

2009
Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer accessories.

Buyers
PRODUCTS COMPANY

2016
Buyers establishes a 22,000 sq ft Engineering Tech Center in Mentor, Ohio. It's multi-use lab, design, training and prototyping space is dedicated to the research and development of innovative product.

Our Corporate Family of Companies

Buyers
PRODUCTS COMPANY

Romotech
Rotational Molding Technologies, Inc.

PROGRESSIVE
POWDER COATING, INC.

Tracom

Boomerang
RUBBER, INC.

Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. **Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.**





UNDERBODY 4-27

XD Steel.....	6-7
Steel	8-17
XD Aluminum.....	18-19
Aluminum	20-25
Polymer	25
Mounting Brackets.....	26-27

TOPSIDER 28-35

Steel	30-31
XD Steel.....	31
Aluminum	32-35

BACKPACK..... 36-49

Steel	38-45
Four Door	38-40
Straight Side.....	41-42
Bolt-on Underbodies.....	43
Bolted L-Pack	44
Steel Backpack Accessories.....	45
Aluminum	46-49
Four Door	46-47
Straight Side & Welded L-Pack.....	48
Aluminum Backpack Accessories.....	49

IN-BED STORAGE..... 50-63

Crossover	52-54
Wheel Well.....	55
Lo-Sider.....	56-57
Storage Chests	58-61
Slide Out Truck Bed Boxes	62-63

TRAILER TONGUE 64-65

CLASS 8 BOXES 66-67

PARTS & ACCESSORIES..... 68-70

Replacement Parts.....	70
------------------------	----

INDEX 71

NEW PRODUCTS:

XD STEEL UNDERBODY

NEW SIZES AVAILABLE!

pg. 7



TEXTURED MATTE BLACK DIAMOND TREAD ALUMINUM UNDERBODY

pg. 22



SMOOTH ALUMINUM TOPSIDER

pg. 33



DIAMOND TREAD BACKPACK

NEW SIZES AND STYLES AVAILABLE!

pg. 48





UNDER



ERBODY

XD Steel Underbodies

Buyers' Toughest Line of Boxes Built for Heavy Duty Commercial Use



XD Steel Features



Cross-broke door for added durability



Detachable 3/16 in. door chains



Greasable bullet hinges



Built-in rain gutter

- 12 gauge steel box and cross-broke door
- Patent pending removable door design
- Automotive D-bulb seal
- Greasable bullet hinges with 1/2" stainless steel pins
- Built-in rain gutter
- Detachable 3/16" door chains
- Locking die cast T-handle compression latch



Black, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1742300	18	18	24	1	80	530 (Y)
1742303	18	18	30	1	91	530 (Y)
1742305	18	18	36	1	104	530 (Y)
1742310	18	18	48	1	127	530 (Y)
1744300*	24	24	24	1	90	530 (Y)
1744303*	24	24	30	1	115	530 (Y)
1744305*	24	24	36	1	132	530 (Y)

Black, Double Door

Works great as Topsider on flatbeds and service bodies.




Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1742315†	18	18	60	1	175	530 (Y)
1742325†	18	18	72	1	202	530 (Y)
1742335†	18	18	90	1	228	530 (Y)
1742336*†	18	18	96	1	250	530 (Y)

†Boxes can be used as topsiders and underbodies

Steel Underbodies



Steel Features



Bolt-on, stainless steel continuous hidden hinge




Replaceable gasket sealing system



Aircraft grade door cables

T-HANDLE LATCH

- 14 gauge powder-coated steel box with 12 gauge steel door
- Drop-down recessed door
- Locking stainless steel T-handle latches
- Bolt-on, stainless steel continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Reinforced door backbone on boxes 48" and wider
- Door opening: flat surface mount (90°) or underbody mount (180°)
- **Note:** 66" boxes are constructed of 12 gauge steel



Black, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703349	14	12	18	1	37	530 (Y)
1703350	14	12	24	1	40	530 (Y)
1703353*	14	12	30	1	49	530 (Y)
1703300	14	16	24	1	56	530 (Y)
1703303	14	16	30	1	65	530 (Y)
1703305	14	16	36	1	74	530 (Y)
1703310*	15	10	15	1	28	530 (Y)
1703312*	15	10	24	1	39	530 (Y)
1703320*	15	13	15	1	32	530 (Y)
1703322*	15	13	24	1	45	530 (Y)
1703324*	15	13	30	1	53	530 (Y)
1703326*	15	13	36	1	61	530 (Y)
1703330	16	14	18	1	50	530 (Y)
1702295	18	18	18	1	47	530 (Y)
1702300	18	18	24	1	67	530 (Y)
1702303	18	18	30	1	80	530 (Y)
1702305	18	18	36	1	92	530 (Y)
1704300	24	24	24	1	87	530 (Y)
1704303	24	24	30	1	100	530 (Y)
1704305	24	24	36	1	116	530 (Y)

Black, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703328*	15	13	48	2	83	530 (Y)
1702310	18	18	48	2	118	530 (Y)
1702315	18	18	60	2	143	530 (Y)
1702317	18	18	66	2	186	530 (Y)
1708310	18	24	48	2	133	530 (Y)
1704310	24	24	48	2	145	530 (Y)
1704315	24	24	60	2	175	530 (Y)

Black, Double Door



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702325†	18	18	72	1	156	530 (Y)

†Boxes can be used as topsiders and underbodies

Steel Underbody

White, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703400	14	16	24	1	56	530 (Y)
1703403	14	16	30	1	65	530 (Y)
1703405	14	16	36	1	71	530 (Y)
1703495	18	18	18	1	47	530 (Y)
1702400	18	18	24	1	67	530 (Y)
1702403	18	18	30	1	80	530 (Y)
1702405	18	18	36	1	92	530 (Y)
1704400	24	24	24	1	87	530 (Y)
1704403	24	24	30	1	100	530 (Y)
1704405	24	24	36	1	116	530 (Y)

White, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702410	18	18	48	2	118	530 (Y)
1702415	18	18	60	2	143	530 (Y)
1702417	18	18	66	2	186	530 (Y)
1708410	18	24	48	2	133	530 (Y)
1704410	24	24	48	2	145	530 (Y)
1704415	24	24	60	2	175	530 (Y)

Primed, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703900	14	16	24	1	56	530 (Y)
1702900	18	18	24	1	67	530 (Y)
1702905	18	18	36	1	92	530 (Y)

Primed, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702910	18	18	48	2	118	530 (Y)

T-HANDLE LATCH WITH SHELF

- 14 gauge steel box with 14 gauge steel shelf welded at mid height, 12-3/4" deep with 1" front lip and 12 gauge steel door
- Locking stainless steel T-handle latches
- Aircraft grade door cables
- Replaceable gasket sealing system

Black



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703304*	14	16	30	1	72	530 (Y)

White



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703404*	14	16	30	1	72	530 (Y)

T-HANDLE LATCH WITH SLANTED BACK

- Angled top allows room for fuel fill hoses on single rear wheel flat beds
- Locking stainless steel T-handle latches
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Drop-down recessed door
- Replaceable gasket sealing system

Black



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703351	14	12	18	1	40	530 (Y)
1703352	14	12	24	1	47	530 (Y)
1703355	14	12	30	1	49	530 (Y)

Steel Underbody

PADDLE LATCH

- 14 gauge powder-coated steel box with 12 gauge steel door
- Drop-down recessed door
- Locking stainless steel paddle latch
- Continuous bolt-on hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Reinforced door backbone on boxes 48" and wider
- Door opening: flat surface mount (90°) or underbody mount (180°)



Black, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703150	14	12	24	1	48	530 (Y)
1703100	14	16	24	1	56	530 (Y)
1703103	14	16	30	1	65	530 (Y)
1702100	18	18	24	1	67	530 (Y)
1702103	18	18	30	1	80	530 (Y)
1702105	18	18	36	1	92	530 (Y)

Black, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702110	18	18	48	2	118	530 (Y)
1702115	18	18	60	2	143	530 (Y)

White, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703203	14	16	30	1	65	530 (Y)
1703205	14	16	36	1	74	530 (Y)
1702200	18	18	24	1	67	530 (Y)
1702203	18	18	30	1	80	530 (Y)
1702205	18	18	36	1	92	530 (Y)

White, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702210	18	18	48	2	118	530 (Y)
1702215	18	18	60	2	143	530 (Y)

3-POINT COMPRESSION LATCH

- 14 gauge powder-coated steel box with 12 gauge steel door
- Drop-down recessed door
- Die-cast T-handle compression latch with 3-point locking system
- Bolt-on continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Reinforced door backbone on boxes 48" and wider
- Door opening: flat surface mount (90°) or underbody mount (180°)



Black



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1732300	18	18	24	1	59	530 (Y)
1732303	18	18	30	1	70	530 (Y)
1732305	18	18	36	1	83	530 (Y)
1732310*	18	18	48	1	118	530 (Y)
1734300	24	24	24	1	84	530 (Y)
1734303	24	24	30	1	95	530 (Y)
1734305	24	24	36	1	110	530 (Y)

White



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1732400	18	18	24	1	59	530 (Y)
1732403	18	18	30	1	70	530 (Y)
1732405	18	18	36	1	83	530 (Y)
1734400	24	24	24	1	84	530 (Y)
1734403	24	24	30	1	95	530 (Y)
1734405	24	24	36	1	110	530 (Y)
1702406*†	18	18	36	1	82	530 (Y)
1702411*†	18	18	48	1	106	530 (Y)

†Includes shelf (see 1703404 on page 11)

Textured Matte Black—**NEW FINISH**




Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1732500*	18	18	24	1	59	530 (Y)
1732503*	18	18	30	1	70	530 (Y)
1732505*	18	18	36	1	83	530 (Y)
1732510*	18	18	48	1	118	530 (Y)
1734500*	24	24	24	1	84	530 (Y)
1734503*	24	24	30	1	95	530 (Y)
1734505*	24	24	36	1	110	530 (Y)

Steel Underbody

POLISHED STAINLESS STEEL DOOR WITH COMPRESSION LATCH

- 16 gauge steel or stainless box with 12 gauge steel door or polished 12 gauge stainless steel door
- Drop-down recessed door
- Locking die-cast T-handle compression latch
- Continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Reinforced door backbone on boxes 48" and wider
- Door opening: flat surface mount (90°) or underbody mount (180°)



Black Box, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1703700	14	16	24	1	55	530 (Y)
1703703	14	16	30	1	64	530 (Y)
1703705	14	16	36	1	71	530 (Y)
1702700	18	18	24	1	72	530 (Y)
1702703	18	18	30	1	81	530 (Y)
1702705	18	18	36	1	101	530 (Y)
1704705	24	24	36	1	132	530 (Y)

Black Box, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702710	18	18	48	2	110	530 (Y)
1702715	18	18	60	2	132	530 (Y)
1704710	24	24	48	2	169	530 (Y)
1704715	24	24	60	2	227	530 (Y)

Black Box, Double Door



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702725	18	18	72	1	156	530 (Y)

Stainless Box, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702595	18	18	18	1	51.5	530 (Y)
1702600	18	18	24	1	61.5	530 (Y)
1702603	18	18	30	1	81	530 (Y)
1702605	18	18	36	1	85	530 (Y)

Stainless Box, Dual Latch




Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702610	18	18	48	2	110	530 (Y)



Steel Underbody

MIRROR FINISH STAINLESS STEEL DOOR WITH COMPRESSION LATCH

- 16 gauge high polish steel box and door
- Drop-down external door
- Locking die-cast T-handle compression latch
- Continuous hidden hinge
- Replaceable door cables
- Built-in rain gutter with automotive bulb seal



Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702650	18	18	24	1	48	530 (N)
1702653	18	18	30	1	57	530 (N)
1702655	18	18	36	1	65	530 (N)

Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702660	18	18	48	2	80	530 (N)



DIAMOND TREAD ALUMINUM DOOR WITH COMPRESSION LATCH

- 14 gauge steel box with .100" thick diamond tread door
- Drop-down recessed door
- Locking die-cast T-handle compression latch
- Bolt-on continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Reinforced door backbone on boxes 48" and wider



Black, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702500	18	18	24	1	61	530 (Y)
1702503	18	18	30	1	72	530 (Y)
1702505	18	18	36	1	82	530 (Y)

Black, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702510	18	18	48	2	104	530 (Y)



XD Aluminum Underbodies

Buyers' Toughest Line of Boxes Built for Heavy Duty Commercial Use



XD Aluminum Features



Die-cast T-handle compression latch with 3-point locking system



Rain gutter for added protection



Rigid extruded box frame and automotive bulb seal



Unobstructed box opening

BARN DOOR WITH COMPRESSION LATCH

- .125" thick smooth aluminum with rigid extruded box frame
- Die-cast T-handle compression latch with 3-point locking system
- Stainless steel bolt-on continuous hinge with oversized 1/4" pin
- Built-in rain gutter with automotive bulb seal
- Unobstructed box opening with no center post



Smooth Aluminum Double Door



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1705405	18	18	36	1	51	530 (Y)
1705410	18	18	48	1	62	530 (Y)
1705415	18	18	60	1	73	530 (Y)
1705420	18	24	36	1	58	530 (Y)
1705425	18	24	48	1	71	530 (Y)
1705430	18	24	60	1	85	530 (Y)
1705435	24	24	36	1	67	530 (Y)
1705440	24	24	48	1	83	530 (Y)
1705445	24	24	60	1	99	530 (Y)
1705450	24	24	72	1	105	530 (Y)

DROP DOOR WITH COMPRESSION LATCH

- .125" thick smooth aluminum with rigid extruded box frame (.100" thick diamond tread aluminum door on certain models)
- Die-cast T-handle compression latch with 3-point locking system
- Stainless steel bolt-on continuous hinge with oversized 1/4" pin
- Built-in rain gutter with automotive bulb seal



Smooth Aluminum Door




Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1706400	18	18	24	1	43.80	530 (Y)
1706403*	18	18	30	1	50.45	530 (Y)
1706405	18	18	36	1	56.70	530 (Y)
1706410	18	18	48	1	64.45	530 (Y)
1706415	18	18	60	1	77.80	530 (Y)
1706420	18	24	36	1	56.68	530 (Y)
1706425	18	24	48	1	78.87	530 (Y)
1706430	18	24	60	1	82.70	530 (Y)

Diamond Tread Aluminum Door



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1706500*	18	18	24	1	41	530 (Y)
1706503*	18	18	30	1	48	530 (Y)
1706505*	18	18	36	1	56	530 (Y)
1706510*	18	18	48	1	69	530 (Y)
1706515*	18	18	60	1	78.8	530 (Y)

Aluminum Underbodies



Aluminum Features



Replaceable gasket



Aluminum bolt-on continuous hidden hinge



Aircraft grade door cables

COMPRESSION LATCH

- .100" thick diamond tread aluminum
- Drop-down recessed door
- Locking die-cast T-handle compression latch
- Aluminum bolt-on continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Reinforced door backbone on boxes 48" and wider
- Door opening: flat surface mount (90°) or underbody mount (180°)



Diamond Tread, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1705148*	14	12	16	1	18	530 (Y)
1705149*	14	12	18	1	19	530 (Y)
1705150	14	12	24	1	23	530 (Y)
1705153	14	12	30	1	26	530 (Y)
1705160	14	16	24	1	25	530 (Y)
1705102*	18	18	14	1	24.6	530 (Y)
1705101	18	18	18	1	30	530 (Y)
1705100	18	18	24	1	32.5	530 (Y)
1705103	18	18	30	1	38.5	530 (Y)
1705105	18	18	36	1	43	530 (Y)
1705118	20	20	36	1	46	530 (Y)
1705130	24	24	24	1	45	530 (Y)
1705133	24	24	30	1	52	530 (Y)
1705135	24	24	36	1	59.5	530 (Y)

Diamond Tread, Single Latch, Barn Door



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1705201	18	18	18	1	27	530 (Y)
1705200	18	18	24	1	36	530 (Y)
1705203	18	18	30	1	42	530 (Y)

Diamond Tread, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1705110	18	18	48	2	56.5	530 (Y)
1705115	18	18	60	2	66	530 (Y)
1705120	18	24	48	2	63.5	530 (Y)
1705140*	24	24	48	2	75	530 (Y)
1705145*	24	24	60	2	88.5	530 (Y)
1705147*	24	24	72	2	97	530 (Y)

Aluminum Underbody

Black Diamond Tread, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1725150	14	12	24	1	22.5	530 (Y)
1725153	14	12	30	1	27	530 (Y)
1725160	14	16	24	1	26	530 (Y)
1725101	18	18	18	1	27	530 (Y)
1725100	18	18	24	1	30	530 (Y)
1725103	18	18	30	1	38	530 (Y)
1725105	18	18	36	1	42	530 (Y)
1725130	24	24	24	1	46	530 (Y)
1725133	24	24	30	1	53	530 (Y)
1725135	24	24	36	1	59	530 (Y)

Black Diamond Tread, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1725110	18	18	48	2	52	530 (Y)
1725115	18	18	60	2	70	530 (Y)
1725120	18	24	48	2	64	530 (Y)
1725140	24	24	48	2	76	530 (Y)
1725145	24	24	60	2	89	530 (Y)

Textured Matte Black Diamond Tread, Single Latch-*NEW FINISH*



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1715100*	18	18	24	1	30	530 (Y)
1715105*	18	18	36	1	42	530 (Y)

Textured Matte Black Diamond Tread, Dual Latch-*NEW FINISH*



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1715110*	18	18	48	2	52	530 (Y)
1715115*	18	18	60	2	70	530 (Y)

3-POINT COMPRESSION LATCH

- .100" thick diamond tread aluminum
- Drop-down recessed door
- Die-cast T-handle compression latch with 3-point locking system
- Aluminum bolt-on continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Reinforced door backbone
- Door opening: flat surface mount (90°) or underbody mount (180°)



Diamond Tread



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1735100	18	18	24	1	32.5	530 (Y)
1735103	18	18	30	1	38	530 (Y)
1735105	18	18	36	1	44	530 (Y)
1735130	24	24	24	1	45	530 (Y)
1735133	24	24	30	1	58	530 (Y)
1735135	24	24	36	1	63	530 (Y)



Aluminum Underbody

BARN DOOR WITH 3-POINT COMPRESSION LATCH

- .125" thick diamond tread or smooth aluminum
- Side-hinged doors with optional right/left locking door
- Die-cast T-handle compression latch with 3-point locking system
- Aluminum bolt-on continuous hinge with oversize 1/4" pin
- Automotive D-bulb seal
- Can mount on flat surface
- Unobstructed box opening with no center post



Diamond Tread Aluminum, Double Door



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1705205	18	18	36	1, 2 Doors	49	530 (Y)
1705210	18	18	48	1, 2 Doors	63	530 (Y)
1705215	18	18	60	1, 2 Doors	77	530 (Y)
1702235	24	24	36	1, 2 Doors	71	530 (Y)
1702240	24	24	48	1, 2 Doors	76	530 (Y)
1702250	24	24	60	1, 2 Doors	87	530 (Y)

Smooth Aluminum, Double Door



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1705303*	18	18	30	1	42	530 (Y)
1705305	18	18	36	1	49	530 (Y)
1705310	18	18	48	1	63	530 (Y)
1705315	18	18	60	1	77	530 (Y)
1705333	24	24	30	1	69	530 (Y)
1705335	24	24	36	1	75	530 (Y)
1705340	24	24	48	1	87	530 (Y)
1705345	24	24	60	1	99	530 (Y)
1705350	24	24	72	1	98	530 (Y)

Aluminum/Polymer Underbody

UNDERBODY WITH DRAWERS

- .100" thick diamond tread aluminum
- Drawer comes with adjustable dividers and 100 lb rated slides
- Drop-down recessed door
- Locking die-cast T-handle compression latch
- Continuous hidden hinge
- Replaceable gasket sealing system
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Reinforced door backbone
- Aircraft grade door cables



1712205



1712205 open


Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1712200	20	18	24	1	50	530 (Y)
1712205	20	18	36	1	66	530 (Y)
1712210	20	18	48	1	85	530 (Y)

Polymer Underbody

3-POINT T-HANDLE LATCH

Black, Single Latch

- Constructed of high-density polyethylene
- Drop down door
- Locking stainless steel 3-point T-handle latch
- Stainless steel hinge pin
- Replaceable gasket sealing system
- Aircraft grade door cables
- Molded double-wall door design



1717110

Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1717100	18	18	24	1	24	530 (Y)
1717105	18	18	36	1	31	530 (Y)
1717110	18	18	48	1	42	530 (Y)

Underbody Mounting Brackets

STEEL

- Sold in boxed pairs
- Universal hole pattern for quick and easy mounting
- Available with welded braces or bolt-on braces
- Available in heavy-duty structural steel (optional)
- Constructed of formed (optional) 3" wide steel C-channel, black powder-coated for corrosion resistance
- Hardware not included

Formed, Welded



Part No.	Description	Height	Depth	Wt. (lb)	Cat.
1701006	Formed Welded Brackets	18	18	16	531 (Y)
1701011	Formed Welded Brackets	18	24	19	531 (Y)
1701016	Formed Welded Brackets	24	24	22	531 (Y)

Formed, Bolted



Part No.	Description	Height	Depth	Wt. (lb)	Cat.
1701006B	Formed Bolted Brackets	18	18	16	531 (Y)
1701011B	Formed Bolted Brackets	18	24	19	531 (Y)

Heavy Duty, Structural Welded



Part No.	Description	Height	Depth	Wt. (lb)	Cat.
1701005	Structural Welded Brackets	18	18	24	531 (Y)
1701010	Structural Welded Brackets	18	24	27	531 (Y)
1701015	Structural Welded Brackets	24	24	32	531 (Y)
1701012*	Structural Welded Brackets	27	18	47	531 (Y)

Heavy Duty, Structural Bolted



Part No.	Description	Height	Depth	Wt. (lb)	Cat.
1701005B	Structural Bolted Brackets	18	18	24	531 (Y)
1701010B	Structural Bolted Brackets	18	24	27	531 (Y)

Underbody Mounting Brackets

STAINLESS STEEL

- Sold in boxed pairs
- Universal hole pattern for quick and easy mounting
- Welded braces
- 3/16" thick 304 stainless steel construction
- Hardware not included

Formed Welded



Part No.	Description	Height	Depth	Wt. (lb)	Cat.
1701031	Welded Brackets	18	18	19	531 (Y)
1701041	Welded Brackets	18	24	22	531 (Y)

ALUMINUM

- Sold in boxed pairs
- Welded braces
- Aluminum construction
- 1/4" formed aluminum angles

Formed Welded



Part No.	Description	Height	Depth	Wt. (lb)	Cat.
1701030	Welded Brackets	18	18	7.5	531 (Y)
1701040	Welded Brackets	24	24	10	531 (Y)

FOR POLYMER UNDERBODIES

- Sold in boxed pairs
- Constructed of 3/16" thick 2" wide C-channel A-36 steel
- Black powder-coated
- Channel fits inside toolbox ribs
- Pre-drilled 7/16" mounting holes (nuts/bolts not included)

Formed Welded



Part No.	Description	Height	Depth	Wt. (lb)	Cat.
1701000	Brackets for 24" and 36" Poly	15	14	15.5	530 (Y)
1701001	Brackets for 48" Poly	15	14	11	530 (Y)




TO



TOPSIDER



Topsiders



18 Drawer Parts Cabinet

- Designed to fit topsiders
- Store and index hardware or small parts
- White powder-coated steel cabinet
- Injection-molded plastic drawers with stops
- Includes two dividers per drawer
- Pre-drilled mounting holes (hardware not included)

White Steel



5411018



5411005†

Part No.	Description	Height	Depth	Width	Wt. (lb)	Cat.
5411018	18 Drawer Cabinet	12	11-3/4	32-1/2	30.8	541 (N)
5411000	Drawer Replacement	3-1/4	12-1/4	5	0.61	541 (N)
5411005	Mounting Bracket for Cabinet†	1-3/4	-	13-3/4	1.25	541 (N)

†Sold separately

XD STEEL TOPSIDERS

Black, Double Door

* See page 6-7 for details



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1742315†	18	18	60	1	175	530 (Y)
1742325†	18	18	72	1	202	530 (Y)
1742335†	18	18	90	1	228	530 (Y)
1742336*†	18	18	96	1	250	530 (Y)

†Boxes can be used as topsiders and underbodies



T-HANDLE LATCH

- 16 gauge steel box with 14 gauge steel doors
- Drop-down recessed doors
- Locking stainless steel T-handle latches
- Bolt-on continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Optional quick-mount trays
- Includes J-hooks for no-drill mounting and protective side rail pads
- Door opening: flat surface mount (90°)

Black



White



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702940	16	13	72	1	115	530 (Y)
1702950	16	13	88	1	120	530 (Y)
1702960	16	13	96	1	128	530 (Y)

Optional Trays

Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1702940TRAY	2.25/4	10.75	35	11	530 (Y)
1702950TRAY	2.25/4	10.75	43	14	530 (Y)
1702960TRAY	2.25/4	10.75	47	15	530 (Y)

Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702840	16	13	72	1	115	530 (Y)
1702850	16	13	88	1	120	530 (Y)
1702860	16	13	96	1	128	530 (Y)

Optional Trays

Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1702840TRAY	2.25/4	10.75	35	11	530 (Y)
1702850TRAY	2.25/4	10.75	43	14	530 (Y)
1702860TRAY	2.25/4	10.75	47	15	530 (Y)

* **NEW** PRODUCTS

Aluminum Topsider

FLIP UP DOOR WITH COMPRESSION LATCH

- Gas shock lifts and holds door open at 110°
- .100" thick diamond tread aluminum
- Locking die-cast T-handle compression latch
- Full length stainless steel bolt-on continuous hidden hinge
- Recessed door design with large 13" tall opening
- Integrated above door rain gutter
- Reinforced door backbone
- Replaceable gasket sealing system



1701768 open

Diamond Tread, Single Latch—**NEW**



1701768

Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1701768*	18	16	96	1	103	530 (Y)

DROP DOOR WITH COMPRESSION LATCH

- .100" thick diamond tread aluminum or smooth aluminum
- Locking die-cast T-handle compression latch
- Full length stainless steel bolt-on continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Includes J-hooks for no-drill mounting and protective side rail pads
- Door opening: flat surface mount (90°)



Black Diamond Tread, Single Latch



1721551

Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1721551	16	13	72	1	78	530 (Y)
1721556	16	13	88	1	89	530 (Y)
1721565†	18	16	90	1	99	530 (Y)

†Boxes can be used as topsiders and underbodies

Black Diamond Tread, Dual Latch



1721551

Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1721561	16	13	96	2	92	530 (Y)
1721568†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies

Diamond Tread, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1701551	16	13	72	1	78	530 (Y)
1701556	16	13	88	1	89	530 (Y)
1701565†	18	16	90	1	99	530 (Y)

†Boxes can be used as topsiders and underbodies

Diamond Tread, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1701561	16	13	96	2	92	530 (Y)
1701568†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies

Textured Matte Black Diamond Tread, Single Latch—**NEW**



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1722551*	16	13	72	1	78	530 (Y)

†Boxes can be used as topsiders and underbodies

Textured Matte Black Diamond Tread, Dual Latch—**NEW**



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1722568*†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies

Smooth Aluminum, Single Latch—**NEW**



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1751651*	16	13	72	1	78	530 (Y)
1751656*	16	13	88	1	89	530 (Y)
1751663*†	18	16	72	1	93	530 (Y)
1751664*†	18	16	88	1	96	530 (Y)
1751665*†	18	16	90	1	99	530 (Y)

†Boxes can be used as topsiders and underbodies

Smooth Aluminum, Dual Latch—**NEW**



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1751661*	16	13	96	2	92	530 (Y)
1751668*†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies


Aluminum Topsider

CONTRACTOR WITH LOWER COMPARTMENT

- .056" thick diamond tread aluminum
- Gas shocks lift and open door at over 90 degree angle
- Comes with two doors: top flip-up door and bottom drop door
- Locking stainless steel T-handle latches
- Replaceable gasket sealing system
- Aircraft grade door cables
- Mounting hardware included



1705640 open



Diamond Tread



1705640

Part No.	Top Doors	Bottom Doors	Height	Depth	Width (A)	Wt. (lb)	Cat.
1705640	1	1	21	13.5/11.5	72	68.5	530 (Y)
1705650	1	1	21	13.5/11.5	88	83.5	530 (Y)
1705660	1	1	21	13.5/11.5	96	88.5	530 (Y)

Depth indicates bottom/top O.D.

Black Diamond Tread




1725640

Part No.	Top Doors	Bottom Doors	Height	Depth	Width (A)	Wt. (lb)	Cat.
1725640	1	1	21	13.5/11.5	72	68.5	530 (Y)
1725650	1	1	21	13.5/11.5	88	83.5	530 (Y)
1725660	1	1	21	13.5/11.5	96	88.5	530 (Y)

Depth indicates bottom/top O.D.

CONTRACTOR WITH TWO LOWER DRAWERS

- .056" thick diamond tread aluminum
- Gas shocks lift and open door at over 90 degree angle
- Locking stainless steel T-handle latches
- Replaceable gasket sealing system
- Bottom drawer comes with adjustable dividers and 100 lb rated slides
- Mounting legs and hardware included



Diamond Tread



Part No.	Top Doors	Bottom Drawers	Height	Depth	Width (A)	Wt. (lb)	Cat.
1705641	1	2	21	13.5/11.5	72	58	530 (Y)
1705651	1	2	21	13.5/11.5	88	91	530 (Y)

Depth indicates bottom/top O.D.

Black Diamond Tread



Part No.	Top Doors	Bottom Drawers	Height	Depth	Width (A)	Wt. (lb)	Cat.
1725641	1	2	21	13.5/11.5	72	58	530 (Y)
1725651	1	2	21	13.5/11.5	88	91	530 (Y)

Depth indicates bottom/top O.D.



BAC



СКРАС

Steel Backpacks



Backpack Features and Options




Optional offset floor for conventional cabs



Optional flat floor for cab-over trucks




Two folding passenger side J-hooks




Stainless steel continuous hinges

FOUR DOOR

- Four side-mounted doors
- 14 gauge steel box with 12 gauge steel doors
- Locking stainless steel T-handle latches
- Stainless steel continuous hinge
- Built-in rain gutter with automotive bulb seal
- Two folding passenger side J-hooks
- Built-in chassis mounting rail
- Two fixed shelves
- Optional steel bolt-on underbody box (see page 43 or appropriate underbody category for more information)
- Backpack mounting adapter recommended for all 2017+ Ford® applications—see page 45 for details
- **Flat Floor:** Cab-over trucks
- **Offset Floor:** Conventional cabs




Black, Offset Floor



Part No.	Floor	Total Height (A)	Depth	Width (B)	Wt. (lb)	Cat.
BP855524B	Offset Floor (9.10")	55	24	85	536	592 (Y)


Black, Flat Floor



Part No.	Floor	Total Height (A)	Depth	Width (B)	Wt. (lb)	Cat.
BP824624B	Flat Floor, No Offset	46	24	82	454	592 (Y)
BP855924B	Flat Floor, No Offset	59	24	85	534	592 (Y)


Steel Backpacks

White, Offset Floor



Part No.	Floor	Total Height (A)	Depth	Width (B)	Wt. (lb)	Cat.
BP855524W	Offset Floor (9.10")	55	24	85/42	536	592 (Y)

White, Flat Floor



Part No.	Floor	Total Height (A)	Depth	Width (B)	Wt. (lb)	Cat.
BP824624W	Flat Floor, No Offset	46	24	81	454	592 (Y)
BP855924W	Flat Floor, No Offset	59	24	85	534	592 (Y)

Primed, Offset Floor



Part No.	Floor	Total Height (A)	Depth	Width (B)	Wt. (lb)	Cat.
BP855524P	Offset Floor (9.10")	55	24	85	536	592 (Y)

Primed, Flat Floor



Part No.	Floor	Total Height (A)	Depth	Width (B)	Wt. (lb)	Cat.
BP824624P	Flat Floor, No Offset	46	24	81	454	592 (Y)
BP855924P	Flat Floor, No Offset	59	24	85	534	592 (Y)

STRAIGHT SIDE/TWO DOOR

- Flat base above floor ideal for cab over trucks
- Provides clearance for frame mounted battery boxes
- Two, side-mounted doors
- 14 gauge steel box with 12 gauge steel door
- Gas spring door holder
- Locking stainless steel T-handle OR locking die-cast T-handle compression latch
- Stainless steel hinge
- Built-in rain gutter with automotive bulb seal
- Built-in chassis mounting rail
- Two fixed shelves (75" or full length)
- Optional steel bolt-on underbody box (see page 43 or appropriate underbody category for more information)
- Backpack mounting adapter recommended for all 2017+ Ford® applications—see page 45 for details



Black, T-Handle Latch



Part No.	Latch	Shelves	Height	Depth	Width	Wt. (lb)	Cat.
BP964824B*	Stainless T-handle	(2) 75" length	48	24	96	700	592 (Y)

Black, Compression Latch



Part No.	Latch	Shelves	Height	Depth	Width	Wt. (lb)	Cat.
3036510*	Die-cast T-handle	(2) full length	48	24	96	700	592 (Y)

Steel Backpacks

STRAIGHT SIDE/TWO DOOR (continued)

White, T-Handle Latch



Part No.	Latch	Shelves	Height	Depth	Width	Wt. (lb)	Cat.
BP964824W*	Stainless T-handle	(2) 75" length	48	24	96	700	592 (Y)

White, Compression Latch



Part No.	Latch	Shelves	Height	Depth	Width	Wt. (lb)	Cat.
3036511*	Die-cast T-handle	(2) full length	48	24	96	700	592 (Y)


Primed, T-Handle Latch



Part No.	Latch	Shelves	Height	Depth	Width	Wt. (lb)	Cat.
BP964824P*	Stainless T-handle	(2) 75" length	48	24	96	700	592 (Y)

BOLT-ON UNDERBODIES

- Can be used as bolt-on underbodies with any backpack box
- 14 gauge powder-coated steel box with 12 gauge steel door
- Drop-down recessed door
- Locking stainless steel T-handle latches
- Continuous bolt-on hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables



Bolt-On Underbody, Black



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1703300*	14	16	24	46	530 (Y)

Bolt-On Underbody, White



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1703400*	14	16	24	46	530 (Y)

Bolt-On Underbody, Primed



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1703900*	14	16	24	46	530 (Y)

*See steel underbodies for more information and images



See pg. 26-27 for backpack mounting options and accessories.

* **NEW** PRODUCTS

Steel Backpacks

BOLTED SIX DOOR L-PACK

- Ships with two boxes bolted on bottom (part nos. 1703300, 1703400)
- 14 gauge steel box with 12 gauge steel doors
- Locking stainless steel T-handle latches
- Stainless steel continuous hinge (hidden on underbodies only)
- Built-in rain gutter with automotive bulb seal
- Two folding passenger side J-hooks
- Built-in chassis mounting rail
- Two fixed interior shelves
- **Offset Floor:** Conventional Cabs



Black



BP855548B

Part No.	Floor	Application	Total Height (A)	Depth (B)	Width (C)	Wt. (lb)	Cat.
BP855548B*	Offset Floor (16.35")	Bolted L-Backpack	55	54	82	628	592 (Y)

White



BP855548W

Part No.	Floor	Application	Total Height (A)	Depth (B)	Width (C)	Wt. (lb)	Cat.
BP855548W*	Offset Floor (16.35")	Bolted L-Backpack	55	54	82	628	592 (Y)

STEEL BACKPACK ACCESSORIES

J-Hook Hanger


- Universal J-hook hangers for holding items like chains or straps
- Bolt-on or weld-on
- Folding zinc plated J-hooks swing flush with compartment walls when not in use



Part No.	Description	Wt. (lb)	Cat.
3009122	Double J-Hook with Steel Mounting Angle	0.85	530-1 (N)
3009938	Triple J-Hook with Aluminum Mounting Angle	2.16	530-1 (N)


Backpack Mounting Adapter—**NEW**

- Provides a level base with a pre-fabricated kit that ensures optimal fit and reduced installation time
- Black powder-coated bracket and zinc plated hardware add corrosion resistance
- Recommended for use with all Ford® 2017+ applications



Part No.	Description	Wt. (lb)	Cat.
3037014*	Backpack Mounting Adapter for Ford 2017+	47.24	531 (Y)

Aluminum Backpacks



Backpack Features



Built-in rain gutter with automotive seal



Two folding passenger side J-hooks




Stainless steel continuous hidden hinges




Offset floor for conventional cabs or flat floor for cab-over trucks

FOUR DOOR

- .100" thick aluminum diamond tread
- Locking die-cast T-handle compression latches
- Stainless steel bolt-on continuous hinge
- Built-in rain gutter with automotive bulb seal
- Two folding J-hooks on passenger side of box
- Built-in chassis mounting rail
- Two fixed shelves
- Optional aluminum bolt-on underbody box (BP141624)
- **Offset Floor:** Conventional Cabs
- **Flat Floor:** Cab-over trucks
- Spring cushioned mounting kit included
- **CAUTION:** Failure to use supplied mounting kit may void warranty on Aluminum Backpack Boxes




Diamond Tread, Offset Floor



Part No.	Description	Height (A)	Depth	Width (B)	Wt. (lbs.)	Cat.
BP825524	Offset Floor (9.1 in.) Hangs Below Floor Level	55	24	82	234	592 (Y)
BP925824	Offset Floor (8.75 in.) Hangs Below Floor Level	58	24	92	255	592 (Y)
BP826224	Offset Floor (16.35 in.) Hangs Below Floor Level	62	24	82	254	592 (Y)
BP827024	Offset Floor (16.4 in.) Hangs Below Floor Level	70	24	82	254	592 (Y)

Diamond Tread, Flat Floor



Part No.	Description	Height (A)	Depth	Width (B)	Wt. (lbs.)	Cat.
BP824624	Flat Floor No Offset Used on Cab-Over Trucks	46	24	82	216	592 (Y)
BP855924	Flat Floor No Offset Used on Cab-Over Trucks	59	24	85	350	530 (Y)

Aluminum Backpacks

STRAIGHT SIDE TWO DOOR

- .100" thick aluminum diamond tread
- Locking die-cast T-handle compression latches
- Stainless steel bolt-on continuous hinge
- Built-in rain gutter with automotive bulb seal
- Built-in chassis mounting rail
- Two fixed shelves
- Optional aluminum bolt-on underbody box (BP141624)
- **Flat Floor:** Ideal for cab-over trucks
- Spring cushioned mounting kit included
- **CAUTION:** Failure to use supplied mounting kit may void warranty on Aluminum Backpack Boxes




Diamond Tread, Flat Floor—**NEW**




Part No.	Height	Depth	Width	Cubic ft.	Wt. (lb)	Cat.
BP964824*	48	24	96	15	73.5	592 (Y)

WELDED SIX DOOR L-PACK

- Ships with two boxes bolted on bottom (part no. BP141624)
- .100" thick aluminum diamond tread
- Locking die-cast T-handle compression latches
- Stainless steel bolt-on continuous hinge
- Built-in rain gutter with automotive bulb seal
- Two folding J-hooks on passenger side of box
- Built-in chassis mounting rail
- Two fixed shelves
- **Offset Floor:** Conventional Cabs
- **Flat Floor:** Cab-over trucks
- Spring cushioned mounting kit included
- **CAUTION:** Failure to use supplied mounting kit may void warranty on Aluminum Backpack Boxes



Diamond Tread, Offset Floor—**NEW**



Part No.	Floor	Application	Total Height (A)	Depth (B)	Width (C)	Wt. (lb)	Cat.
BP826254	Offset Floor (16.35")	Welded L-Backpack	62	54	82	628	592 (Y)
BP827054*	Offset Floor (16.4")	Welded L-Backpack	70	54	82	628	592 (Y)

ALUMINUM BACKPACK ACCESSORIES

Bolt-On Diamond Tread Underbody



Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
BP141624	Optional Bolt-On Aluminum Underbody Toolbox	14	16	24	32	530 (Y)

See page 21 for additional underbody options

Universal Spring Cushion Mounting Kit

- Provides flex to reduce strain on aluminum B-pack truck boxes
- Ideal for off-road applications
- 5/8" U-bolts with forged tie bars, springs and fasteners (all zinc plated)
- Included with all aluminum backpacks
- **CAUTION:** Failure to use supplied mounting kit may void warranty on Aluminum Backpack Boxes
- Additional sizes available as custom orders



Part No.	Description	Wt. (lb)	Cat.
3008086	Universal Spring Cushion Mounting Kit	17	531 (Y)

Backpack Mounting Adapter—**NEW**

- Provides a level base with a pre-fabricated kit that ensure optimal fit and reduced installation time
- Black powder-coated bracket and zinc plated hardware add ultimate corrosion resistance
- Recommended for use with all Ford® 2017+ applications



Part No.	Description	Wt. (lb)	Cat.
3037014*	Backpack Mounting Adapter for Ford 2017+	47.24	531 (Y)

J-Hook Hanger


- Universal J-hook hangers for storage
- Bolt-on or weld-on
- Folding zinc plated J-hooks swing flush with compartment walls when not in use



Part No.	Description	Wt. (lb)	Cat.
3009122	Double J-Hook with Steel Mounting Angle	0.85	530-1 (N)
3009938	Triple J-Hook with Aluminum Mounting Angle	2.16	530-1 (N)




IN-BED S



STORAGE

Crossover Truck Boxes



Crossover Features



Removable storage tray



Fully concealed aluminum continuous hinge





Stainless steel push-button locks



Thick gasket system helps to seal out weather and road grime

SINGLE LID WITH PUSH-BUTTON LOCK

- .100" thick diamond tread aluminum
- Fits full size pickups with 6-1/2' and 8' beds
- Gas shock props lid open
- Stainless steel push-button locks open from either side
- Suspends from pickup side rails
- Includes mounting hardware
- Includes removable storage tray with dividers



Diamond Tread



Part No.	Height (A/B)	Depth (C)	Width	Cubic ft.	Wt. (lb)	Cat.
1709305	18/11	20	71/60	11.1	75	530 (Y)
1709308	23/16	20	71/60	14.2	77	530 (Y)
1709315	18/11	27	71/60	15.1	89	530 (Y)
1709318*	23/16	27	71/60	19.1	91	530 (Y)

*Works in beds with slants

Black Diamond Tread



Part No.	Height (A/B)	Depth (C)	Width	Cubic ft.	Wt. (lb)	Cat.
1729305	18/11	20	71/60	11.1	75	530 (Y)
1729308	23/16	20	71/60	14.2	77	530 (Y)
1729315	18/11	27	71/60	15.1	89	530 (Y)
1729318*	23/16	27	71/60	19.1	91	530 (Y)

*Works in beds with slants

Textured Matte Black Diamond Tread




Part No.	Height (A/B)	Depth (C)	Width	Cubic ft.	Wt. (lb)	Cat.
1739305*	18/11	20	71/60	11.1	75	530 (Y)

Crossover

GULL WING WITH PUSH-BUTTON LOCK

- .100" thick diamond tread aluminum
- Double-sided lids with gas shocks
- Two stainless steel one-touch push-button locks
- Reinforced rib design
- Includes tray and dividers
- Suspends from pickup side rails with included J-Hooks
- Fits full size pickups with 6-1/2' and 8' beds



Diamond Tread



1709315

Part No.	Height (A/B)	Depth (C)	Width	Cubic ft.	Wt. (lb)	Cat.
1710305	18/11	20	71/60	11.1	67	530 (Y)
1710308	23/16	20	71/60	14.2	73	530 (Y)
1710315	18/11	27	71/60	15.1	81	530 (Y)
1710318*	23/16	27	71/60	19.1	85	530 (Y)

*Works in beds with slants

Black Diamond Tread



1720305

Part No.	Height (A/B)	Depth (C)	Width	Cubic ft.	Wt. (lb)	Cat.
1720305	18/11	20	71/60	11.1	67	530 (Y)
1720308	23/16	20	71/60	14.2	73	530 (Y)
1720315	18/11	27	71/60	15.1	81	530 (Y)
1720318*	23/16	27	71/60	19.1	85	530 (Y)


*Works in beds with slants

Textured Matte Black Diamond Tread—**NEW**





1722305

Part No.	Height (A/B)	Depth (C)	Width	Cubic ft.	Wt. (lb)	Cat.
1722305*	18/11	20	71	11.1	67	530 (Y)



WHEEL WELL

- .100" thick aluminum diamond tread aluminum
- Lid features gas shock and one-touch stainless steel push-button rotary locking mechanism
- Low profile over-the-wheel mounting offers convenient storage while maximizing pickup truck bed space
- Fits most pickups
- May also be mounted in front of wheel wells on full-size long bed pickups




Diamond Tread



Part No.	Description	Height	Depth	Width	Wt. (lb)	Cat.
1711205	Driver Side Rear/ Passenger Side Front	18.75/ 8.5	9.25	46.25/ 18/17	26	530 (Y)
1711206	Passenger Side Rear/ Driver Side Front	18.75/ 8.5	9.25	46.25/ 18/17	26	530 (Y)

Lo-Sider Truck Boxes



1711020

Lo-Sider/Rail Features



Removable tray with storage divider



The cover support housing protects the gas springs




Locking stainless steel paddle latch



Full weather stripping keeps dust and moisture out

LO-SIDER WITH PADDLE LATCH

- .056" thick diamond tread
- Mounts along bedrail of pickups
- Locking stainless steel paddle latch
- Aluminum hinge is welded to the lid and bolted to the box
- Includes tray and dividers
- Mounting hardware included
- Fits full size pickups with 6-1/2' and 8' beds



Diamond Tread



Part No.	Height	Depth	Width (A)	Cubic ft.	Wt. (lb)	Cat.
1711010	12.5	10.5	16	47	3.4	23 530 (Y)
1711020	12.5	10.5	16	56	4.0	47 530 (Y)
1711025	12.5	10.5	16	70	5.2	52 530 (Y)
1711030	12.5	10.5	16	87	6.3	63 530 (Y)

Black Diamond Tread




Part No.	Height	Depth	Width (A)	Cubic ft.	Wt. (lb)	Cat.
1721010	12.5	10.5	16	47	3.4	23 530 (Y)
1721020	12.5	10.5	16	56	4.0	47 530 (Y)
1721025	12.5	10.5	16	70	5.2	52 530 (Y)
1721030	12.5	10.5	16	87	6.3	63 530 (Y)

Textured Matte Black Diamond Tread—**NEW**



Part No.	Height	Depth	Width (A)	Cubic ft.	Wt. (lb)	Cat.
1731020*	12.5	10.5	16	56	4.0	47 530 (Y)

Storage Chests



Storage Chest Features



Gas spring cover support protects spring from damage.



Two zinc-plated handles for easy lifting.



Reinforced lid for extra durability.



Angled body design is ideal for use with fifth wheel and goose-neck trailer applications.

ANGLED BASE

- .056" thick diamond tread
- Stainless steel one-touch push-button locks
- Continuous aluminum hinge is welded to the lid and bolted to the box
- Offset lid allows for 90° opening when placed against truck bed
- Door assisting gas shocks
- Angled body for use with fifth wheel or gooseneck trailer application
- Includes tray and dividers



Part No.	Height	Depth	Width (A/B)	Cubic ft.	Wt. (lb)	Cat.
1712010†	18.5	20/15	47/47	10	52.5	530 (Y)
1712020†	18.5	20/15	55/54	12	55	530 (Y)
1712030††	19	20/16	60/52	12.5	60	530 (Y)
1712035††	19	27/27	60/52	18	74	530 (Y)

†Boxes have angled base on front only

††Boxes have angled base on front and sides

Textured Matte Black—**NEW**



Part No.	Height	Depth	Width (A/B)	Cubic ft.	Wt. (lb)	Cat.
1722010*†	18.5	20/15	47/47	10	52.5	530 (Y)


†Boxes have angled base on front only

JUMBO CHEST WITH PADDLE LATCH

- .100" thick diamond tread
- Locking stainless steel paddle latch
- Continuous aluminum hinge is welded to the lid and bolted to the box
- Zinc plated handles



Diamond Tread Aluminum



Part No.	Height	Depth	Width	Cubic ft.	Wt. (lb)	Cat.
1712110	24	24/22	49	15	73.5	530 (Y)
1712120	30	30/28	49	24	92	530 (Y)

Storage Chests

POLY CHEST

- Lightweight, dent-resistant, high-density polyethylene body
- Box contents stay safe and secure behind a molded, double-wall, stainless steel hinged lid
- Corrosion and weather resistant stainless steel hasp and hinge made for use with combination lock or padlock (lock sold separately)
- Mount to floor of pickup beds, trailers or for use in garages



Black, Single Hasp



Part No.	# Hasps	Height	Depth	Width	Cubic ft.	Wt. (lb)	Cat.
1712230	1	13.5	15/9.25	32/29.5	2.6	16	530 (Y)
1712250	1	22.5	19.5/18.75	51/47	8.4	34	530 (Y)

Black, Dual Hasp




Part No.	# Hasps	Height	Depth	Width	Cubic ft.	Wt. (lb)	Cat.
1712240	2	17.25	19/13.25	44/41.25	6.3	28	530 (Y)
1712255	2	26	23/21	51/47.25	15.8	46	530 (Y)
1712260	2	23	25/19	77/73	18.8	52	530 (Y)



HEAVY DUTY POLY STORAGE BINS

- Constructed from durable and rust-proof polyethylene for years of use
- Double panel sloped lid provides a weather-resistant barrier to keep contents dry
- Molded hand holds and fork lift slots allow for easy lifting and carrying
- Ideal for storing dry, loose materials like rock salt, grain, sand, seed or litter
- Suitable for indoor or outdoor use



Black, 20" High



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
9031105	20	24	36	21	903-1 (N)

SHIPS UPS!

Black, 30" High



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
9031100	30	24	36	28	903-1 (N)

Material Scoop



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
9031110	Material Scoop			2.47	903-1 (N)

Slide Out Truck Bed Boxes

NEW
IMPROVED DESIGN


Slide Out Box Features



A full door gasket provide protection against the elements



Movable partitions and optional dividers allow for ultimate customization



Slide Out Truck Bed Boxes

PUSH-BUTTON LOCK

- One-handed operation
- 500 lb capacity drawers and 800 lb top load (evenly distributed)
- Heavy duty reinforced aluminum box and drawer construction
- Automatic detents
- Movable dividers to accommodate tools and hardware
- Full door gasket and rain gutter
- Mounting hardware and dividers included
- Additional divider kits also available



Smooth Aluminum



1718010, 1718020 shown

Part No.	Height	Depth	Width	Cubic Ft.	Wt. (lbs.)	Cat.
1718010	9	48	21	3.54	78	895 (Y)
1718015	9	48	40	7.08	130	895 (Y)
1718020	12	24	40	4.87	90	895 (Y)
1718025	12	48	20	4.79	92	895 (Y)
1718030	12	48	40	10.11	150	895 (Y)

Black Smooth Aluminum



1718310, 1718320 shown

Part No.	Height	Depth	Width	Cubic Ft.	Wt. (lbs.)	Cat.
1718310	9	48	21	3.54	78	895 (Y)
1718315	9	48	40	7.08	130	895 (Y)
1718320	12	24	40	4.87	90	895 (Y)
1718325	12	48	20	4.79	92	895 (Y)
1718330	12	48	40	10.11	150	895 (Y)

White Smooth Aluminum



1718410, 1718420 shown

Part No.	Height	Depth	Width	Cubic Ft.	Wt. (lbs.)	Cat.
1718410	9	48	21	3.54	78	895 (Y)
1718415	9	48	40	7.08	130	895 (Y)
1718420	12	24	40	4.87	90	895 (Y)
1718425	12	48	20	4.79	92	895 (Y)
1718430	12	48	40	10.11	150	895 (Y)

Divider Kit for Bed Boxes



Part No.	Description	Cat.
3036255	Works with 1718015, 1718315, 1718415	530 (Y)
3036256	Works with 1718020, 1718320, 1718420	530 (Y)
3036257	Works with 1718030, 1718330, 1718430	530 (Y)


Trailer Tongues

STEEL TRAILER TONGUE

- 14 gauge steel box with 12 gauge steel door
- Locking stainless steel paddle latch
- Stainless steel continuous hidden hinge
- Designed to mount to the front of A-frame style trailers



Black



Part No.	Height (D)	Depth (C)	Width (A/B)	Wt. (lb)	Cat.
1701280	15	14.5	34/22.5	51	530 (Y)
1701281	12	13.25	26/14	33	530 (Y)
1701285	18.5	15	49/37	74	530 (Y)

ALUMINUM TRAILER TONGUE

- .056 thick diamond tread aluminum
- Locking stainless steel paddle latch
- Aluminum continuous hidden hinge
- Designed to mount to the front of A-frame style trailers



Diamond Tread




Part No.	Height (D)	Depth (C)	Width (A/B)	Wt. (lb)	Cat.
1701380	15	14.5	34/20.7	17.5	530 (Y)
1701385	18.5	15	49/37	28	530 (Y)

Trailer Tongues

POLY TRAILER TONGUE

- Constructed of high-density polyethylene
- Designed to mount to the front of A-frame style trailers
- Corrosion and weather resistant stainless steel hasp and hinge made for use with combination lock or padlock (lock sold separately)



Black



Part No.	Height	Depth	Width	Cubic ft.	Wt. (lb)	Cat.
1701680	18	19	36/ 8	5.34	21	530 (Y)

White



Part No.	Height	Depth	Width	Cubic ft.	Wt. (lb)	Cat.
1701679	18	19	36/18	5.34	21	530 (Y)

Class 8 Boxes

STEP BOXES

- Provides framed steps with built-in storage space
- Non-slip (grip punch) steps
- .125" smooth aluminum body
- .100" diamond tread aluminum door
- D-bulb door seal protects from the elements
- Locking die-cast T-handle compression latch
- Stainless steel continuous hidden hinge
- Corner gussets on door opening provide extra strength
- 1/8" thick integral corner braces provide mounting support
(for heavy loads and toolboxes wider than 18", #1701015 steel mounting brackets are recommended to prevent stress cracks)



Diamond Tread Aluminum



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1705180	24	28	12	40	530 (Y)
1705181	24	28	18	46	530 (Y)



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1705182	24	28	24	56	530 (Y)
1705183	24	28	30	66	530 (Y)

IN-FRAME

- Body constructed of .100" smooth aluminum
- .100" Diamond tread aluminum lid with inner bracing
- Full width stainless steel hinge
- Rain gutter and D-bulb seals
- TIG Welded
- Mounts between truck frame rails
- Corrosion and weather resistant stainless steel hasp and hinge made for use with combination lock or padlock (lock sold separately)
- Replaceable gasket sealing system



Diamond Tread Aluminum



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1705190	9	22	30	32	530 (Y)

CHAIN HOLDER

- Constructed of structural steel with aluminum diamond tread cover
- TIG welded
- Pre-drilled mounting holes
- Hinged diamond plate cover comes with lock hasp for secure use
- Keeps tire chains securely in place

Diamond Tread Aluminum



Part No.	Height	Depth	Width	Wt. (lb)	Cat.
5910024	9	7.5	24	34	591 (N)

Parts & Accessories

Die Cast Compression Latch



- Strong, secure compression operation
- Latch is secure and stays shut with the adjustable cam action roller engagement
- Helps keep dirt, grime, and dust out of your box
- Corrosion-resistant powder-coated housing
- Corrosion-resistant chrome plated T-handle
- Adjustable cam, from .850 in. to 1.320 in. (No tools required for adjustment)

***Replacement for Buyers boxes using L8816 and L3890RLS latch**

Part No.	Description	Wt. (lbs.)	Cat.
LL9000	Single Point, Compression Latch with Blind Studs, 1/2" Gasket and Cylinder with keys included	2.04	510 (N)
LL90003	3-Point, Compression Latch with Blind Studs, 1/2" Gasket and Cylinder with keys included	2.04	510 (N)

Heavy-Duty Standard Size Flush Mount Folding T-handle Latches



Part No.	Description	Wt. (lbs.)	Cat.
L882502	34" Replacement Rods for 2 and 3 point latches	105	510 (N)

- Polished Stainless steel
- Available in single, double or triple point contact to address most applications
- Adjustable cam from 1.25" to 2" to accommodate door thicknesses
- Designed to mount into a 3.75" x 4" recess opening.
(L8816 fits into 4.375" x 3.5" recess opening)

Part No.	Description	Wt. (lbs.)	Cat.
L8815	Stainless Steel T-Handle Latch with Mounting Holes, Cylinder & Keys Included	1.25	510 (N)
L8816	Tall Flush Mount T-Handle Latch with Blind Studs, Cylinder & Keys Included	1.50	510 (N)
L8915	Zinc Plated Stainless Steel T-Handle Latch with Mounting Holes, Cylinder & Keys Included	1.25	510 (N)
L8825	Standard Size 2 Point T-Handle Latch with Mounting Holes, Cylinder & Keys Included	2.50	510 (N)
L8835	Standard Size 3 Point T-Handle Latch with Mounting Holes, Cylinder & Keys Included	2.75	510 (N)
L8855	Standard Size Flush Mount T-Handle Latch with Blind Studs, Cylinder & Keys Included	1.26	510 (N)
L8815G0	Replacement Gasket For L8815, L8855, and L8915	0.01	510 (N)

Poly Underbody Replacement Latch

- Polished Stainless steel
- 3-Point latch
- Adjustable cam from 0.25" to 1.6"
- Designed to mount into a 4-3/8" x 3-1/2" recess opening

***Replacement for Buyers poly underbody boxes only, not compatible with standard underbody toolboxes**



Part No.	Description	Wt. (lbs.)	Cat.
L882502	34" Replacement Rods for 2 and 3 point latches	105	510 (N)

Part No.	Description	Wt. (lbs.)	Cat.
L8816R	3-Point Latch Folding-T Handle, with Roller	1.43	510 (N)

Parts & Accessories

Mini Size Tear Drop Latch

- Ideal for use on toolboxes and other small compartment doors
- Polished stainless steel finish
- Locking version includes cylinder and two keys



Part No.	Description	Face Dims. (HxW)	Wt. (lbs.)	Cat.
8000SSL	Stainless Steel Mini Size Tear Drop Style Latch (Locking)	4.38" x 3.25"	0.57	510 (N)
8000SSN	Stainless Steel Mini Size Tear Drop Style Latch (Non-Locking)	4.38" x 3.25"	0.55	510 (N)

Standard Size Single-Point Rotary Paddle Latch

- Polished stainless steel
- Hidden studs
- Includes gasket, cylinder and keys
- Includes hasp for alternative lock. Requires 7/16" diameter pad lock shank (not included)



Part No.	Description	Face Dims. (HxW)	Wt. (lbs.)	Cat.
L3890RLS	Stainless Steel Rotary Single Point Paddle Latch, 1/4" Striker	5.5" x 4.75"	1.40	510 (N)
3005833	Striker Plate/Bracket; for use with L3890RLS	-	0.26	530-1 (N)

Cylinder and Key


- For standard and mini size latches
- Various keys upon request



Part No.	Description	Wt. (lbs.)	Cat.
19CH545	Cylinder and Key	0.09	510 (N)
88CH510	Cylinder Lock with 2 Keys	0.13	510 (N)
39LL71	Cylinder and Key	0.09	510 (N)
L38RLSCH545	Cylinder for L3885RLS Latch	0.25	510 (N)
88CH545	Cylinder for L8815/L8915/L8816 Latch	0.25	510 (N)
CDC01Z	Zinc Die Cast Cylinder Dust Cover (Works with all Cylinders and Keys Listed Above)	0.05	510 (N)

Dry-Mat Tile

- 3/4" thick, tough automotive grade recycled plastic
- Provides fast evaporation while protecting the surface below
- Maintains original shape and color
- Fast, easy installation



Part No.	Description	Dim	Wt. (lbs.)	Cat.
DM1212B	Tile	12" x 12"	1.42	880 (N)
DM0212BF	Female Edge	2" x 12"	0.33	880 (N)
DM0212BM	Male Edge	2" x 12"	0.35	880 (N)

Underbody Replacement Parts

Part No.	Doors	Latches	Lanyards	Part No.	Doors	Latches	Lanyards	Part No.	Doors	Latches	Lanyards
1702100	1702100D00R	L3890RLS	3003081	1702700	1702700D00R	LL9000	3003081	1704415	1704415D00R	L8816	3004713
1702103	1702103D00R	L3890RLS	3003081	1702703	1702703D00R	LL9000	3003081	1704705	1704705D00R	LL9000	3004713
1702105	1702105D00R	L3890RLS	3003081	1702705	1702705D00R	LL9000	3003081	1704710	1704710D00R	LL9000	3003081
1702110	1702110D00R	L3890RLS	3003081	1702710	1702710D00R	LL9000	3003081	1704715	1704715D00R	LL9000	3003081
1702115	1702115D00R	L3890RLS	3003081	1702715	1702715D00R	LL9000	3003081	1705100	1705100D00RB	LL9000	3003081
1702200	1702200D00R	L3890RLS	3003081	1702725	1702705D00R	LL9000	3003081	1705101	1705101D00RB	LL9000	3003081
1702203	1702203D00R	L3890RLS	3003081	1702805	1702805D00R	LL9000	3003081	1705103	1705103D00RB	LL9000	3003081
1702205	1702205D00R	L3890RLS	3003081	1702810	1702810D00R	LL9000	3003081	1705105	1705105D00RB	LL9000	3003081
1702210	1702210D00R	L3890RLS	3003081	1702815	1702815D00R	LL9000	3003081	1705110	1705110D00RB	LL9000	3003081
1702215	1702215D00R	L3890RLS	3003081	1702900	1702900D00R	L8816	3003081	1705115	1705115D00RB	LL9000	3003081
1702295	—	L8816	3003081	1702905	1702905D00R	L8816	3003081	1705120	1705110D00RB	LL9000	3003081
1702300	1702300D00R	L8816	3003081	1702910	1702910D00R	L8816	3003081	1705130	1705130D00RB	LL9000	3004713
1702303	1702303D00R	L8816	3003081	1703100	1703100D00R	L3890RLS	3003480	1705133	1705133D00RB	LL9000	3004713
1702305	1702305D00R	L8816	3003081	1703103	1703103D00R	L3890RLS	3003480	1705135	1705135D00RB	LL9000	3004713
1702310	1702310D00R	L8816	3003081	1703150	1703150D00R	L3890RLS	3003480	1705140	1705140D00RB	LL9000	3004713
1702315	1702315D00R	L8816	3003081	1703203	1703203D00R	L3890RLS	3003480	1705145	1705145D00RB	LL9000	3004713
1702317	1702317D00R	L8816	3003081	1703300	1703300D00R	L8816	3003480	1705150	1705150D00RB	LL9000	3003480
1702325	1702325D00R	L8816	3003081	1703303	1703303D00R	L8816	3003480	1705160	1705160D00RB	LL9000	3003480
1702400	1702400D00R	L8816	3003081	1703305	1703305D00R	L8816	3003480	1708310	1708310D00R	L8816	3003081
1702403	1702403D00R	L8816	3003081	1703330	1703330D00R	L8816	3003480	1708410	1702410D00R	L8816	3003081
1702405	1702405D00R	L8816	3003081	1703350	1703350D00R	L8816	3003480	1725100	1725100D00R	LL9000	3003081
1702410	1702410D00R	L8816	3003081	1703400	1703400D00R	L8816	3003480	1725105	1725105D00R	LL9000	3003081
1702415	1702415D00R	L8816	3003081	1703403	1703403D00R	L8816	3003480	1725110	1725110D00R	LL9000	3003081
1702417	1702417D00R	L8816	3003081	1703405	1703405D00R	L8816	3003480	1725130	1725130D00R	LL9000	3004713
1702500	1702500D00R	LL9000	3003081	1703700	1703700D00R	LL9000	3003480	1725135	1725135D00R	LL9000	3004713
1702503	1702503D00R	LL9000	3003081	1703703	1703703D00R	LL9000	3003480	1725140	1725140D00R	LL9000	3004713
1702505	1702505D00R	LL9000	3003081	1703705	1703705D00R	LL9000	3003480	1732300	1732300D00R	LL90003	3024237
1702510	1702510D00R	LL9000	3003081	1703900	1703900D00R	L8816	3003480	1732305	1732305D00R	LL90003	3024237
1702595	—	LL9000	3003081	1704300	1704300D00R	L8816	3004713	1733203	1733203D00R	LL90003	3024237
1702600	1702600D00R	LL9000	3003081	1704303	1704303D00R	L8816	3004713	1734300	1734300D00R	LL90003	3024238
1702603	1702603D00R	LL9000	3003081	1704305	1704305D00R	L8816	3004713	1734303	1734303D00R	LL90003	3024238
1702605	1702605D00R	LL9000	3003081	1704310	1704310D00R	L8816	3004713	1734305	1734305D00R	LL90003	3024238
1702610	1702610D00R	LL9000	3003081	1704315	1704315D00R	L8816	3004713	1735100	1735100D00R	LL90003	3003081
1702650	1702650D00R	LL9000	—	1704400	1704400D00R	L8816	3004713	1735105	1735105D00R	LL90003	3003081
1702653	1702653D00R	LL9000	—	1704403	1704403D00R	L8816	3004713	1735130	1735130D00R	LL90003	3004713
1702655	1702655D00R	LL9000	—	1704405	1704405D00R	L8816	3004713	1735133	1735133D00R	LL90003	3004713
1702660	1702660D00R	LL9000	—	1704410	1704410D00R	L8816	3004713	1735135	1735135D00R	LL90003	3004713

Barn Door Replacement Parts

PART NO.	DOORS WITH LATCH	DOOR WITHOUT LATCH	LATCHES
1705201	1705201D00RBWLCH	1705201D00RBNLCH	LL90003
1705200	1705200D00RBWLCH	1705200D00RBNLCH	LL90003
1705203	1705203D00RBWLCH	1705203D00RBNLCH	LL90003
1702235	1702235D00RBWLCH	1702235D00RBNLCH	LL90003
1702240	1702240D00RBWLCH	1702240D00RBNLCH	LL90003
1702250	1702250D00RBWLCH	1702250D00RBNLCH	LL90003
1705205	1705205D00RBWLCH	1705205D00RBNLCH	LL90003
1705215	1705215D00RBWLCH	1705215D00RBNLCH	LL90003
1705305	1705305D00RBWLCH	1705305D00RBNLCH	LL90003
1705310	1705310D00RBWLCH	1705310D00RBNLCH	LL90003
1705315	1705315D00RBWLCH	1705315D00RBNLCH	LL90003
1705335	1705335D00RBWLCH	1705335D00RBNLCH	LL90003
1705340	1705340D00RBWLCH	1705340D00RBNLCH	LL90003
1705345	1705345D00RBWLCH	1705345D00RBNLCH	LL90003

See product specific information on page 6



PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.
19CH545.....	69	1702600.....	15	1704415.....	10	1706510.....	19	1722568.....	33	1751668.....	3
39LL71.....	69	1702603.....	15	1704705.....	14	1706515.....	19	1725100.....	22	3005833.....	69
88CH510.....	69	1702605.....	15	1704710.....	14	1708310.....	9	1725101.....	22	3008086.....	49
88CH545.....	69	1702610.....	15	1704715.....	14	1708410.....	10	1725103.....	22	3009122.....	49
8000SSL.....	69	1702650.....	16	1705100.....	21	1709305.....	53	1725105.....	22	3009938.....	45, 49
8000SSN.....	69	1702653.....	16	1705101.....	21	1709308.....	53	1725110.....	22	3036255.....	63
1701000.....	27	1702655.....	16	1705102.....	21	1709315.....	53	1725115.....	22	3036256.....	63
1701001.....	27	1702660.....	16	1705103.....	21	1709318.....	53	1725120.....	22	3036257.....	63
1701005.....	26	1702700.....	14	1705105.....	21	1710305.....	54	1725130.....	22	3036510.....	41
1701005B.....	26	1702703.....	14	1705110.....	21	1710308.....	54	1725133.....	22	3036511.....	42
1701006.....	26	1702705.....	14	1705115.....	21	1710315.....	54	1725135.....	22	3037014.....	45, 49
1701006B.....	26	1702710.....	14	1705118.....	21	1710318.....	54	1725140.....	22	5411000.....	30
1701010.....	26	1702715.....	14	1705120.....	21	1711010.....	57	1725145.....	22	5411005.....	30
1701010B.....	26	1702725.....	14	1705130.....	21	1711020.....	57	1725150.....	22	5411018.....	30
1701011.....	26	1702840.....	31	1705133.....	21	1711025.....	57	1725153.....	22	5910024.....	67
1701011B.....	26	1702840TRAY.....	31	1705135.....	21	1711030.....	57	1725160.....	22	9031100.....	61
1701012.....	26	1702850.....	31	1705140.....	21	1711205.....	55	1725640.....	34	9031105.....	61
1701015.....	26	1702850TRAY.....	31	1705145.....	21	1711206.....	55	1725641.....	35	9031110.....	61
1701016.....	26	1702860.....	31	1705147.....	21	1712010.....	59	1725650.....	34		
1701030.....	27	1702860TRAY.....	31	1705148.....	21	1712020.....	59	1725651.....	35	B	
1701031.....	27	1702900.....	10	1705149.....	21	1712030.....	59	1725660.....	34	BP141624.....	49
1701040.....	27	1702905.....	10	1705150.....	21	1712035.....	59	1729305.....	53	BP824624.....	47
1701041.....	27	1702910.....	10	1705153.....	21	1712110.....	59	1729308.....	53	BP824624B.....	39
1701280.....	64	1702940.....	31	1705160.....	21	1712120.....	59	1729315.....	53	BP824624P.....	40
1701281.....	64	1702940TRAY.....	31	1705180.....	66	1712200.....	25	1729318.....	53	BP824624W.....	40
1701285.....	64	1702950.....	31	1705181.....	66	1712205.....	25	1731020.....	57	BP825524.....	47
1701380.....	64	1702950TRAY.....	31	1705182.....	66	1712210.....	25	1732300.....	13	BP826224.....	47
1701385.....	64	1702960.....	31	1705183.....	66	1712230.....	60	1732303.....	13	BP826254.....	48
1701551.....	33	1702960TRAY.....	31	1705190.....	67	1712240.....	60	1732305.....	13	BP855524B.....	39
1701556.....	33	1703100.....	12	1705200.....	24	1712250.....	60	1732310.....	13	BP855524P.....	40
1701561.....	33	1703103.....	12	1705201.....	24	1712255.....	60	1732400.....	13	BP855524W.....	40
1701565.....	33	1703150.....	12	1705203.....	24	1712260.....	60	1732403.....	13	BP855548B.....	44
1701568.....	33	1703203.....	12	1705205.....	24	1715100.....	22	1732405.....	13	BP855548W.....	44
1701679.....	65	1703205.....	12	1705210.....	24	1715105.....	22	1732500.....	13	BP855924.....	47
1701680.....	65	1703300.....	9, 43	1705215.....	24	1715110.....	22	1732503.....	13	BP855924B.....	39
1701768.....	32	1703303.....	9	1705303.....	24	1715115.....	22	1732505.....	13	BP855924P.....	40
1702100.....	12	1703304.....	11	1705305.....	24	1717100.....	25	1732510.....	13	BP855924W.....	40
1702103.....	12	1703305.....	9	1705310.....	24	1717105.....	25	1734300.....	13	BP925824.....	47
1702105.....	12	1703310.....	9	1705315.....	24	1717110.....	25	1734303.....	13	BP964824.....	48
1702110.....	12	1703312.....	9	1705333.....	24	1718010.....	63	1734305.....	13	BP964824B.....	41
1702115.....	12	1703320.....	9	1705335.....	24	1718015.....	63	1734400.....	13	BP964824P.....	42
1702200.....	12	1703322.....	9	1705340.....	24	1718020.....	63	1734403.....	13	BP964824W.....	42
1702203.....	12	1703324.....	9	1705345.....	24	1718025.....	63	1734405.....	13		
1702205.....	12	1703326.....	9	1705350.....	24	1718030.....	63	1734500.....	13	C	
1702210.....	12	1703328.....	9	1705405.....	19	1718310.....	63	1734503.....	13	CD01Z.....	69
1702215.....	12	1703330.....	9	1705410.....	19	1718315.....	63	1734505.....	13		
1702235.....	24	1703349.....	9	1705415.....	19	1718320.....	63	1735100.....	23	D	
1702240.....	24	1703350.....	9	1705420.....	19	1718325.....	63	1735103.....	23	DM0212BF.....	69
1702250.....	24	1703351.....	11	1705425.....	19	1718330.....	63	1735105.....	23	DM0212BM.....	69
1702295.....	9	1703352.....	11	1705430.....	19	1718410.....	63	1735130.....	23	DM1212B.....	69
1702300.....	9	1703353.....	9	1705435.....	19	1718415.....	63	1735133.....	23		
1702303.....	9	1703355.....	11	1705440.....	19	1718420.....	63	1735135.....	23	L	
1702305.....	9	1703400.....	10, 43	1705445.....	19	1718425.....	63	1739305.....	53	L38RLSCH545.....	69
1702310.....	9	1703403.....	10	1705450.....	19	1718430.....	63	1742300.....	7	L3890RLS.....	69
1702315.....	9	1703404.....	11	1705640.....	34	1720305.....	54	1742303.....	7	L8815.....	68
1702317.....	9	1703405.....	10	1705641.....	35	1720308.....	54	1742305.....	7	L8815G0.....	68
1702325.....	9	1703495.....	10	1705650.....	34	1720315.....	54	1742310.....	7	L8816.....	68
1702400.....	10	1703700.....	14	1705651.....	35	1720318.....	54	1742315.....	7, 31	L8816R.....	68
1702403.....	10	1703703.....	14	1705660.....	34	1721010.....	57	1742325.....	7, 31	L8825.....	68
1702405.....	10	1703705.....	14	1706400.....	19	1721020.....	57	1742335.....	7, 31	L882502.....	68
1702406.....	13	1703900.....	10, 43	1706403.....	19	1721025.....	57	1742336.....	7, 31	L8835.....	68
1702410.....	10	1704300.....	9	1706405.....	19	1721030.....	57	1744300.....	7	L8855.....	68
1702411.....	13	1704303.....	9	1706410.....	19	1721551.....	32	1744303.....	7	L8915.....	68
1702415.....	10	1704305.....	9	1706415.....	19	1721556.....	32	1744305.....	7	LL9000.....	68
1702417.....	10	1704310.....	9	1706420.....	19	1721561.....	32	1751651.....	33	LL90003.....	68
1702500.....	17	1704315.....	9	1706425.....	19	1721565.....	32	1751656.....	33		
1702503.....	17	1704400.....	10	1706430.....	19	1721568.....	32	1751661.....	33		
1702505.....	17	1704403.....	10	1706500.....	19	1722010.....	59	1751663.....	33		
1702510.....	17	1704405.....	10	1706503.....	19	1722305.....	54	1751664.....	33		
1702595.....	15	1704410.....	10	1706505.....	19	1722551.....	33	1751665.....	33		

The Buyers family of manufacturing companies

Tracom

 **Boomerang**
RUBBER, INC.

 **Romotech**
Rotational Molding Technologies, Inc.

 **PROGRESSIVE**
POWDER COATING, INC.

www.buyersproducts.com

